





Six Orthographic Views of the Product

RL3

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

### Technical Specification

|                    |                                                                    |
|--------------------|--------------------------------------------------------------------|
| Maximum SPL        | 142 dB                                                             |
| Bandwidth          | 55 Hz - 20 kHz                                                     |
| Directivity        | H 90° 110° Adjustable<br>V 10°                                     |
| AES Power Handling | LF : 800W<br>HMF : 250W                                            |
| Nominal Impedance  | LF : 6 ohm<br>HMF : 16 ohm                                         |
| Transducers        | LF : 2×10" neodymium<br>MF : 1×8" neodymium<br>HF : 2×2" neodymium |
| Pin Assignment     | 1+/1- (LF) ,2+/2- (MHF)                                            |
| Splay Angles       | 0° 1° 2° 3° 4° 5° 6° 7° 8° 9° 10°                                  |
| IP Rating          | IP55                                                               |
| Net Weight         | 44 kg (97.0 lbs)                                                   |

| No. | Date | Revision Table       |            |
|-----|------|----------------------|------------|
|     |      | Revision Description | Revised by |
| 1   |      |                      |            |
| 2   |      |                      |            |
| 3   |      |                      |            |
| 4   |      |                      |            |
| 5   |      |                      |            |
| 6   |      |                      |            |
| 7   |      |                      |            |
| 8   |      |                      |            |

|                              |             |           |           |
|------------------------------|-------------|-----------|-----------|
| Scale                        | 1:1         | Dimension | mm/inches |
| Referential axis of symmetry |             |           |           |
| Issue Date                   | 2026. 6. 30 | Version   |           |




REYN AUDIO

Six Orthographic Views of the Product

RL3 Bumper

3D View



REYN AUDIO


<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

| Technical Specification  |                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Applicable Series        | RL3、RL3i、FS3                                                                                                                                                                      |
| Specifications           | Max capacity: 24 pcs RL3<br>Max capacity: 24 pcs FS3                                                                                                                              |
| WLL (Working Load Limit) | 1056 kg (2,328 lbs)                                                                                                                                                               |
| Safety Factor            | 6.5 times                                                                                                                                                                         |
| TUV SÜD Test Report No.  | 64.190.26.3099.01-00                                                                                                                                                              |
| Rigging Material         | Main Structural and crossbar constructed from 304 stainless steel;<br>Logo plate: Birch-faced combi-core plywood.                                                                 |
| Surface Treatment        | Main Structural and crossbar constructed from black matte-textured powder coating with 10-year outdoor rating;<br>Logo plate: Black, fine-textured two-component polyurea finish. |
| Net Weight (N.W.)        | 46 kg (101.4 lbs)                                                                                                                                                                 |

| No.                          | Date        | Revision Table       |            |
|------------------------------|-------------|----------------------|------------|
|                              |             | Revision Description | Revised by |
| 1                            |             |                      |            |
| 2                            |             |                      |            |
| 3                            |             |                      |            |
| 4                            |             |                      |            |
| 5                            |             |                      |            |
| 6                            |             |                      |            |
| 7                            |             |                      |            |
| 8                            |             |                      |            |
| Scale                        |             | 1:1                  | Dimension  |
| Referential axis of symmetry |             |                      |            |
| Issue Date                   | 2026. 8. 31 | Version              |            |




REYN AUDIO

Six Orthographic Views of the Product

RL3 Touring Cart

3D View



REYN AUDIO


<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

| No.        | Date | Revision Table               |            |
|------------|------|------------------------------|------------|
|            |      | Revision Description         | Revised by |
| 1          |      |                              |            |
| 2          |      |                              |            |
| 3          |      |                              |            |
| 4          |      |                              |            |
| 5          |      |                              |            |
| 6          |      |                              |            |
| 7          |      |                              |            |
| 8          |      |                              |            |
| Scale      |      | 1:1                          | Dimension  |
|            |      |                              | mm/inches  |
|            |      | Referential axis of symmetry |            |
| Issue Date |      | 2026. 8. 31                  | Version    |

| Technical Specification |                 |
|-------------------------|-----------------|
| Applicable Series       | RL3             |
| Specifications          | 4 in 1          |
| Net Weight (N.W.)       | 54 kg (119 lbs) |



Six Orthographic Views of the Product

RL3 Bumper Flight Case

3D View




REYN AUDIO  
<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

| Technical Specification |                   |
|-------------------------|-------------------|
| Applicable Series       | RL3               |
| Specifications          | 2 RL3 Bumpers     |
| Net Weight (N.W.)       | 40 kg (88.2 lbs)  |
| Gross Weight (G.W.)     | 98 kg (216.1 lbs) |

| No.        | Date | Revision Table       |            |
|------------|------|----------------------|------------|
|            |      | Revision Description | Revised by |
| 1          |      |                      |            |
| 2          |      |                      |            |
| 3          |      |                      |            |
| 4          |      |                      |            |
| 5          |      |                      |            |
| 6          |      |                      |            |
| 7          |      |                      |            |
| 8          |      |                      |            |
| Scale      |      | 1:1                  | Dimension  |
| Issue Date |      | 2026. 9. 1           | Version    |




REYN AUDIO

Six Orthographic Views of the Product

RL3 Flight Case (2 in 1)

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

| No. | Date | Revision Table       |            |
|-----|------|----------------------|------------|
|     |      | Revision Description | Revised by |
| 1   |      |                      |            |
| 2   |      |                      |            |
| 3   |      |                      |            |
| 4   |      |                      |            |
| 5   |      |                      |            |
| 6   |      |                      |            |
| 7   |      |                      |            |
| 8   |      |                      |            |

| Technical Specification |                    |
|-------------------------|--------------------|
| Applicable Series       | RL3                |
| Specifications          | 2 in 1             |
| Net Weight (N.W.)       | 42 kg (92.6 lbs)   |
| Gross Weight (G.W.)     | 130 kg (286.6 lbs) |

|                              |            |           |           |
|------------------------------|------------|-----------|-----------|
| Scale                        | 1:1        | Dimension | mm/inches |
| Referential axis of symmetry |            |           |           |
| Issue Date                   | 2026. 9. 1 | Version   |           |




REYN AUDIO

Six Orthographic Views of the Product

RL3 Flight Case (4 in 1)

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

| No. | Date | Revision Table       |            |
|-----|------|----------------------|------------|
|     |      | Revision Description | Revised by |
| 1   |      |                      |            |
| 2   |      |                      |            |
| 3   |      |                      |            |
| 4   |      |                      |            |
| 5   |      |                      |            |
| 6   |      |                      |            |
| 7   |      |                      |            |
| 8   |      |                      |            |

|            |                              |           |           |
|------------|------------------------------|-----------|-----------|
| Scale      | 1:1                          | Dimension | mm/inches |
|            | Referential axis of symmetry |           |           |
| Issue Date | 2026. 9. 2                   | Version   |           |

Technical Specification

|                     |                    |
|---------------------|--------------------|
| Applicable Series   | RL3                |
| Specifications      | 4 in 1             |
| Net Weight (N.W.)   | 69 kg (152.1 lbs)  |
| Gross Weight (G.W.) | 245 kg (540.1 lbs) |



Six Orthographic Views of the Product

1/2 Shackle

3D View



REYN AUDIO

<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

| No. | Date | Revision Table       |            |
|-----|------|----------------------|------------|
|     |      | Revision Description | Revised by |
| 1   |      |                      |            |
| 2   |      |                      |            |
| 3   |      |                      |            |
| 4   |      |                      |            |
| 5   |      |                      |            |
| 6   |      |                      |            |
| 7   |      |                      |            |
| 8   |      |                      |            |

|            |                              |           |           |
|------------|------------------------------|-----------|-----------|
| Scale      | 1:1                          | Dimension | mm/inches |
|            | Referential axis of symmetry |           |           |
| Issue Date | 2026. 9. 2                   | Version   |           |

| Technical Specification  |                                                                 |
|--------------------------|-----------------------------------------------------------------|
| Applicable Series        | RL3、RL4                                                         |
| Specifications           | American Bow (BW),<br>G-209 high-quality alloy structural steel |
| WLL (Working Load Limit) | 2 t                                                             |
| Safety Factor            | 6 times                                                         |