





製品 6 面図

RL3i




REYN AUDIO

<https://en.reynaudio.com/>

技術仕様	
最大出力音圧レベル	142 dB
周波数特性	55 Hz - 20 kHz
指向性	水平：90°・110° 切替可能 垂直：10°
AES 定格電力	低音： 800W 中高音： 250W
公称インピーダンス	低音： 8Ω 中高音： 16Ω
ドライバーユニット	低音： 2×10 インチ ネオジム磁石 中音： 1×8 インチ ネオジム磁石 高音： 2×2 インチ ネオジム磁石・チタンダイアフラムコンプレッションドライバー
端子配列	1+/1-（低音）, 2+/2-（中高音）
筐体可動角度	0° 1° 2° 3° 4° 5° 6° 7° 8° 9° 10°
防塵防水等級	IP55
重量	44 kg (97.0 lbs)

著作権に関する告知：本図面は仙山市録音電気楽器有限公司の専有財産です。事前許可なしに複製、利用、開示することを禁止します。			
No.	日付	改訂履歴表	
		改訂内容	改訂者
1			
2			
3			
4			
5			
6			
7			
8			
縮尺		1:1	寸法
✂		基準軸対称性	
発行日	2026. 9. 8	バージョン	
ACME JAPAN 株式会社 〒 556-0016 大阪府大阪市浪速区元町3-3-5 mail: info@acmejapan.jp Tel: 06-7502-1234 Fax: 06-7494-1076			




REYN AUDIO

Six Orthographic Views of the Product

RL3 Bumper

3D View



REYN AUDIO


<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification	
Applicable Series	RL3、RL3i、FS3
Specifications	Max capacity: 24 pcs RL3 Max capacity: 24 pcs FS3
WLL (Working Load Limit)	1056 kg (2,328 lbs)
Safety Factor	6.5 times
TUV SÜD Test Report No.	64.190.26.3099.01-00
Rigging Material	Main Structural and crossbar constructed from 304 stainless steel; Logo plate: Birch-faced combi-core plywood.
Surface Treatment	Main Structural and crossbar constructed from black matte-textured powder coating with 10-year outdoor rating; Logo plate: Black, fine-textured two-component polyurea finish.
Net Weight (N.W.)	46 kg (101.4 lbs)

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			
Issue Date	2026. 8. 31	Version	




REYN AUDIO

Six Orthographic Views of the Product

RL3 Touring Cart

3D View



REYN AUDIO


<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry		mm/inches	
Issue Date	2026. 8. 31	Version	

Technical Specification	
Applicable Series	RL3
Specifications	4 in 1
Net Weight (N.W.)	54 kg (119 lbs)



Six Orthographic Views of the Product

RL3 Bumper Flight Case

3D View




REYN AUDIO
<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification	
Applicable Series	RL3
Specifications	2 RL3 Bumpers
Net Weight (N.W.)	40 kg (88.2 lbs)
Gross Weight (G.W.)	98 kg (216.1 lbs)

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Issue Date		2026. 9. 1	Version




REYN AUDIO

Six Orthographic Views of the Product

RL3 Flight Case (2 in 1)

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Technical Specification	
Applicable Series	RL3
Specifications	2 in 1
Net Weight (N.W.)	42 kg (92.6 lbs)
Gross Weight (G.W.)	130 kg (286.6 lbs)

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 1	Version	




REYN AUDIO

Six Orthographic Views of the Product

RL3 Flight Case (4 in 1)

3D View



REYN AUDIO


<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
	Referential axis of symmetry		
Issue Date	2026. 9. 2	Version	



REYN AUDIO

Six Orthographic Views of the Product

1/2 Shackle

3D View



REYN AUDIO

<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			
Issue Date		2026. 9. 2	Version

Technical Specification	
Applicable Series	RL3、RL4
Specifications	American Bow (BW), G-209 high-quality alloy structural steel
WLL (Working Load Limit)	2 t
Safety Factor	6 times