





Six Orthographic Views of the Product

RL3i

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification

Maximum SPL	142 dB
Bandwidth	55 Hz - 20 kHz
Directivity	H 90° 110° Adjustable V 10°
AES Power Handling	LF : 800W HMF : 250W
Nominal Impedance	LF : 6 ohm HMF : 16 ohm
Transducers	LF : 2×10" neodymium MF : 1×8" neodymium HF : 2×2" neodymium
Pin Assignment	1+/1- (LF) ,2+/2- (MHF)
Splay Angles	0° 1° 2° 3° 4° 5° 6° 7° 8° 9° 10°
IP Rating	IP55
Net Weight	44 kg (97.0 lbs)

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			
Issue Date		2026. 9. 8	Version




REYN AUDIO

Six Orthographic Views of the Product

RL3 Bumper

3D View



REYN AUDIO


<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification	
Applicable Series	RL3、RL3i、FS3
Specifications	Max capacity: 24 pcs RL3 Max capacity: 24 pcs FS3
WLL (Working Load Limit)	1056 kg (2,328 lbs)
Safety Factor	6.5 times
TUV SÜD Test Report No.	64.190.26.3099.01-00
Rigging Material	Main Structural and crossbar constructed from 304 stainless steel; Logo plate: Birch-faced combi-core plywood.
Surface Treatment	Main Structural and crossbar constructed from black matte-textured powder coating with 10-year outdoor rating; Logo plate: Black, fine-textured two-component polyurea finish.
Net Weight (N.W.)	46 kg (101.4 lbs)

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			
Issue Date	2026. 8. 31	Version	




REYN AUDIO

Six Orthographic Views of the Product

RL3 Touring Cart

3D View



REYN AUDIO


<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			
Issue Date		2026. 8. 31	Version

Technical Specification	
Applicable Series	RL3
Specifications	4 in 1
Net Weight (N.W.)	54 kg (119 lbs)



Six Orthographic Views of the Product

RL3 Bumper Flight Case

3D View




REYN AUDIO
<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification	
Applicable Series	RL3
Specifications	2 RL3 Bumpers
Net Weight (N.W.)	40 kg (88.2 lbs)
Gross Weight (G.W.)	98 kg (216.1 lbs)

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Issue Date		2026. 9. 1	Version




REYN AUDIO

Six Orthographic Views of the Product

RL3 Flight Case (2 in 1)

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Technical Specification

Applicable Series	RL3
Specifications	2 in 1
Net Weight (N.W.)	42 kg (92.6 lbs)
Gross Weight (G.W.)	130 kg (286.6 lbs)

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 1	Version	




REYN AUDIO

Six Orthographic Views of the Product

RL3 Flight Case (4 in 1)

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
	Referential axis of symmetry		
Issue Date	2026. 9. 2	Version	

Technical Specification	
Applicable Series	RL3
Specifications	4 in 1
Net Weight (N.W.)	69 kg (152.1 lbs)
Gross Weight (G.W.)	245 kg (540.1 lbs)



REYN AUDIO

Six Orthographic Views of the Product

1/2 Shackle

3D View



REYN AUDIO

<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
			mm/inches
		Referential axis of symmetry	
Issue Date		2026. 9. 2	Version

Technical Specification	
Applicable Series	RL3、RL4
Specifications	American Bow (BW), G-209 high-quality alloy structural steel
WLL (Working Load Limit)	2 t
Safety Factor	6 times