





Six Orthographic Views of the Product

RX12

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification

Maximum SPL	141 dB
Bandwidth	68 Hz - 19 kHz
Directivity	H 75° Rotatable V 40° Rotatable
AES Power Handling	HMF : 800W
Nominal Impedance	8 ohm
Transducers	LF : 2x12" neodymium MF : 1x8" neodymium HF : 1x3" neodymium
Pin Assignment	1+/1-(INPUT) ,2+/2- (Link)
Splay Angles	Fixed 13° Trapezoidal Angle
IP Rating	IP55
Net Weight	38 kg (83.8 lbs)


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
		mm/inches	
		Referential axis of symmetry	
Issue Date		2026. 9. 14	Version



Six Orthographic Views of the Product

RX12 Horizontal Hanger

3D View




REYN AUDIO

<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
			mm/inches
		Referential axis of symmetry	
Issue Date		2026. 9. 15	Version



Six Orthographic Views of the Product

RX12 Vertical Hanger (Clamp)

3D View



REYN AUDIO


<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification	
Applicable Series	RX12
Specifications	The maximum load is one RX12
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	9 kg (19.8 lbs)


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			
Issue Date	2026. 9. 15	Version	



Six Orthographic Views of the Product

**RX12 Vertical Hanger
(Support frame)**

3D View




<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification	
Applicable Series	RX12
Specifications	The maximum load is one RX12
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	9 kg (19.8 lbs)

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			mm/inches
Issue Date		2026. 9. 15	Version



Six Orthographic Views of the Product

RX12 Speaker & Hanger Flight Case

3D View



REYN AUDIO
<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Technical Specification	
Applicable Series	RX12
Specifications	4 pieces RX12 and 2 pieces RX12 hanger
Net Weight (N.W.)	61 kg (134.5 lbs)
Gross Weight (G.W.)	140 kg (308.6 lbs)


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 14	Version	



Six Orthographic Views of the Product

RX12 Flight Case

3D View



REYN AUDIO

<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Technical Specification	
Applicable Series	RX12
Specifications	2 in 1
Net Weight (N.W.)	46 kg (101.4 lbs)
Gross Weight (G.W.)	122 kg (269.0 lbs)

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 14	Version	