





REYN AUDIO

Six Orthographic Views of the Product

RX8

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification

Maximum SPL	134 dB
Bandwidth	70 Hz - 19 kHz
Directivity	V 40° Rotatable
AES Power Handling	HMF : 400W
Nominal Impedance	8 ohm
Transducers	LF : 2x8" neodymium HF : 1x3" neodymium
Pin Assignment	1+/1-(INPUT) ,2+/2- (Link)
Splay Angles	Fixed 15° Trapezoidal Angle
IP Rating	IP55
Net Weight	16 kg (35.3 lbs)


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			
Issue Date		2026. 9. 16	Version



Six Orthographic Views of the Product

RX8 Horizontal Hanger

3D View




<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
mm/inches			
Referential axis of symmetry			
Issue Date		2026. 9. 17	Version



Six Orthographic Views of the Product

RX8 Vertical Hanger (Clamp)

3D View



REYN AUDIO


<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification	
Applicable Series	RX8
Specifications	The maximum load is one RX8
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	6 kg (13.2 lbs)


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			
Issue Date		2026. 9. 16	Version



Six Orthographic Views of the Product

**RX8 Vertical Hanger
(Support frame)**

3D View




<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

Technical Specification	
Applicable Series	RX8
Specifications	The maximum load is one RX8
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	7 kg (15.4 lbs)


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			
Scale		1:1	Dimension
Referential axis of symmetry			
Issue Date		2026. 9. 17	Version



Six Orthographic Views of the Product

**RX8 Speaker &
Hanger Flight Case**

3D View



REYN AUDIO

<https://en.reynaudio.com/>




Copyright Notice This drawing is exclusive to Foshan Yifeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
	Referential axis of symmetry		
Issue Date	2026. 9. 17	Version	


Technical Specification	
Applicable Series	RX8
Specifications	4 pieces RX8and 2 pieces RX8 hanger
Net Weight (N.W.)	51 kg (112.4 lbs)
Gross Weight (G.W.)	128 kg (282.2 lbs)



Six Orthographic Views of the Product

RX8 Flight Case

3D View



REYN AUDIO

<https://en.reynaudio.com/>



Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Technical Specification	
Applicable Series	RX8
Specifications	4 in 1
Net Weight (N.W.)	40 kg (88.2 lbs)
Gross Weight (G.W.)	104 kg (229.3 lbs)

Scale	1:1	Dimension	mm/inches
	Referential axis of symmetry		
Issue Date	2026. 9. 17	Version	