


Technical Specification


Maximum SPL	141 dB
Bandwidth	68 Hz - 19 kHz
Directivity	H 75° Rotatable V 40° Rotatable
AES Power Handling	HMF : 800W
Nominal Impedance	8 ohm
Transducers	LF : 2x12" neodymium MF : 1x8" neodymium HF : 1x3" neodymium
Pin Assignment	1+/1-(INPUT) ,2+/2- (Link)
Splay Angles	Fixed 13° Trapezoidal Angle
IP Rating	IP55
Net Weight	38 kg (83.8 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX12

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table: Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 14	Version	















Technical Specification	
Applicable Series	RX12
Specifications	The maximum load is one RX12
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	9 kg (19.8 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX12 Vertical Hanger (Clamp)

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 15	Version	















Technical Specification	
Applicable Series	RX12
Specifications	The maximum load is one RX12
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	9 kg (19.8 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX12 Vertical Hanger (Support frame)

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 15	Version	















Technical Specification	
Applicable Series	RX12
Specifications	The maximum load is one RX12
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	4 kg (8.8 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX12 Horizontal Hanger

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table: Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 15	Version	















REYN AUDIO

Six Orthographic Views of the Product

RX12 Flight Case

3D View



REYN AUDIO

https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 14	Version	


Technical Specification


Applicable Series	RX12
Specifications	2 in 1
Net Weight (N.W.)	46 kg （101.4 lbs）
Gross Weight (G.W.)	122 kg (269.0 lbs)















Technical Specification	
Applicable Series	RX12
Specifications	4 pieces RX12 and 2 pieces RX12 hanger
Net Weight (N.W.)	61 kg (134.5 lbs)
Gross Weight (G.W.)	140 kg (308.6 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX12 Speaker & Hanger Flight Case

3D View



REYN AUDIO

https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table: Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 14	Version	