


Technical Specification


Maximum SPL	134 dB
Bandwidth	70 Hz - 19 kHz
Directivity	V 40° Rotatable
AES Power Handling	HMF : 400W
Nominal Impedance	8 ohm
Transducers	LF : 2x8" neodymium HF : 1x3" neodymium
Pin Assignment	1+/1-(INPUT) ,2+/2- (Link)
Splay Angles	Fixed 15° Trapezoidal Angle
IP Rating	IP55
Net Weight	16 kg (35.3 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX8

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table: Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 16	Version	















Technical Specification	
Applicable Series	RX8
Specifications	The maximum load is one RX8
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	6 kg (13.2 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX8 Vertical Hanger (Clamp)

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table: Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 16	Version	















Technical Specification	
Applicable Series	RX8
Specifications	The maximum load is one RX8
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	7 kg (15.4 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX8 Vertical Hanger (Support frame)

3D View




REYN AUDIO

https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 17	Version	















Technical Specification	
Applicable Series	RX8
Specifications	The maximum load is one RX8
Rigging Material	Hardware Composition: Structural hot-rolled steel plate chassis integrated with high-grade aluminum clamp fixtures.
Surface Treatment	Surface Metallurgy: Matte-black baked enamel coating on the main body; High-gloss vibratory anodized black plating on the coupling clamps.
Net Weight (N.W.)	1 kg (2.2 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX8 Horizontal Hanger

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 17	Version	















Technical Specification	
Applicable Series	RX8
Specifications	4 in 1
Net Weight (N.W.)	40 kg （88.2 lbs）
Gross Weight (G.W.)	104 kg (229.3 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX8 Flight Case

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table: Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 17	Version	















Technical Specification	
Applicable Series	RX8
Specifications	4 pieces RX8and 2 pieces RX8 hanger
Net Weight (N.W.)	51 kg （112.4 lbs）
Gross Weight (G.W.)	128 kg (282.2 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RX8 Speaker & Hanger Flight Case

3D View



REYN AUDIO

https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 17	Version	