


















Technical Specification	
Maximum SPL	142 dB
Bandwidth	55 Hz - 20 kHz
Directivity	H 90° 110° Adjustable V 10°
AES Power Handling	LF : 800W HMF : 250W
Nominal Impedance	LF : 6 ohm HMF : 16 ohm
Transducers	LF : 2×10” neodymium MF : 1×8” neodymium HF : 2×2” neodymium
Pin Assignment	1+/1- (LF) ,2+/2- (MHF)
Splay Angles	0° 1° 2° 3° 4° 5° 6° 7° 8° 9° 10°
IP Rating	IP55
Net Weight	44 kg (97.0 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RL3i

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 6. 30	Version	














Technical Specification


Applicable Series	RL3、RL3i、FS3
Specifications	Max capacity: 24 pcs RL3 Max capacity: 24 pcs FS3
WLL (Working Load Limit)	1056 kg (2,328 lbs)
Safety Factor	6.5 times
TÜV SÜD Test Report No.	64.190.26.3099.01-00
Rigging Material	Main Structural and crossbar constructed from 304 stainless steel; Logo plate: Birch-faced combi-core plywood.
Surface Treatment	Main Structural and crossbar constructed from black matte-textured powder coating with 10-year outdoor rating; Logo plate: Black, fine-textured two-component polyurea finish.
Net Weight (N.W.)	46 kg (101.4 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RL3 Bumper

3D View




REYN AUDIO


https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 8. 31	Version	















Technical Specification	
Applicable Series	RL3
Specifications	4 in 1
Net Weight (N.W.)	54 kg (119 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RL3 Touring Cart

3D View




REYN AUDIO

https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 8. 31	Version	




REYN AUDIO

Six Orthographic Views of the Product

RL3 Bumper Flight Case

3D View



REYN AUDIO

https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 1	Version	


Technical Specification


Applicable Series	RL3
Specifications	2 RL3 Bumpers
Net Weight (N.W.)	40 kg (88.2 lbs)
Gross Weight (G.W.)	98 kg (216.1 lbs)















Technical Specification	
Applicable Series	RL3
Specifications	2 in 1
Net Weight (N.W.)	42 kg (92.6 lbs)
Gross Weight (G.W.)	130 kg (286.6 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RL3 Flignt Case (2 in 1)

3D View




REYN AUDIO

https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table: Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 1	Version	




REYN AUDIO

Six Orthographic Views of the Product

RL3 Flight Case (4 in 1)

3D View



REYN AUDIO

https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 2	Version	

Technical Specification

Applicable Series	RL3
Specifications	4 in 1
Net Weight (N.W.)	69 kg (152.1 lbs)
Gross Weight (G.W.)	245 kg (540.1 lbs)



REYN AUDIO

Six Orthographic Views of the Product

1/2 Shackle

3D View



REYN AUDIO

https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 2	Version	

Technical Specification

Applicable Series	RL3、RL4
Specifications	American Bow (BW), G-209 high-quality alloystructural steel
WLL (Working Load Limit)	2 t
Safety Factor	6 times