

















Technical Specification


Maximum SPL	LF : 134 dB HF : 135 dB
Bandwidth	45 Hz - 18 kHz
Directivity	V 10°
AES Power Handling	LF : 700W HF : 110W
Nominal Impedance	8 ohm
Transducers	LF : 1x14" neodymium HF : 1x3" neodymium
Pin Assignment	1+/1-(INPUT) ,2+/2- (Link)
Splay Angles	10° Fixed Trapezoidal Angle
IP Rating	IP55
Net Weight	35 kg (77.2 lbs)

REYN AUDIO

Six Orthographic Views of the Product

V10

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 10	Version	














Technical Specification	
Applicable Series	V10
Specifications	The maximum load is two V10
Rigging Material	Main Structural: hot-rolled steel.
Surface Treatment	Black matte-textured powder coating.
Net Weight (N.W.)	10 kg (22 lbs)

REYN AUDIO

Six Orthographic Views of the Product

V10 Horizontal Hanger

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 10	Version	















Technical Specification	
Applicable Series	V10、V30
Specifications	The maximum load is four V10/ V30
Rigging Material	Main Structural: hot-rolled steel.
Surface Treatment	Black matte-textured powder coating with 10-year outdoor rating.
Net Weight (N.W.)	12 kg（26.5 lbs）

REYN AUDIO

Six Orthographic Views of the Product

V Bumper

3D View




REYN AUDIO

https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 11	Version	




REYN AUDIO

Six Orthographic Views of the Product

V Connection Plate

3D View



REYN AUDIO

https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 11	Version	

Technical Specification

Applicable Series	V10、V30
Specifications	Max load: 2x splay plates linking two V10/V30
Rigging Material	Main Structural: hot-rolled steel.
Surface Treatment	Black matte-textured powder coating.
Net Weight (N.W.)	2 kg（4.4 lbs）