

















Technical Specification


Maximum SPL	138 dB
Minimum Frequency Limit	37Hz（-10dB）
Directivity	Standard
AES Power Handling	1200W
Nominal Impedance	8 ohm
Transducers	1x18" Neodymium die cast aluminium basket
Pin Assignment	1+/1- (LF) ,2+/2- (Link)
Splay Angles	Square Enclosure, Fixed Angle
IP Rating	IP55
Net Weight	44 kg (97. 0 lbs)

REYN AUDIO

Six Orthographic Views of the Product

FS4

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table: Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 6. 30	Version	














Technical Specification


Applicable Series	RL4、FS4
Specifications	Max capacity: 24 pcs RL4 Max capacity: 24 pcs FS4
WLL (Working Load Limit)	480 kg (1058.2 lbs)
Safety Factor	6.5 times
TÜV SÜD Test Report No.	64.190.26.3101.01-00
Rigging Material	Main Structural and crossbar constructed from 304 stainless steel; Logo plate: Birch-faced combi-core plywood.
Surface Treatment	Main Structural and crossbar constructed from black matte-textured powder coating with 10-year outdoor rating; Logo plate: Black, fine-textured two-component polyurea finish.
Net Weight (N.W.)	11 kg (24.3 lbs)

REYN AUDIO

Six Orthographic Views of the Product

RL4 Bumper

3D View




REYN AUDIO


https://en.reynaudio.com/


Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.


No.	Date	Revision Table Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			


Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 4	Version	















Technical Specification	
Applicable Series	FS4
Specifications	1 piece FS4, and 1 piece RL4 Bumper
Net Weight (N.W.)	53 kg (116.8 lbs)
Gross Weight (G.W.)	108 kg (238.1 lbs)

REYN AUDIO

Six Orthographic Views of the Product

FS4 Speaker & Bumper Flight Case(1 in 1)

3D View




REYN AUDIO

https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table: Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 8. 27	Version	




REYN AUDIO

Six Orthographic Views of the Product

FS4 Speaker & Bumper Flight Case (2 in 1)

3D View



REYN AUDIO

https://en.reynaudio.com/

Copyright Notice This drawing is exclusive to Foshan YiFeng Electric Industrial Co., Ltd. No reproduction, application, or disclosure without prior permission.

No.	Date	Revision Table	
		Revision Description	Revised by
1			
2			
3			
4			
5			
6			
7			
8			

Scale	1:1	Dimension	mm/inches
Referential axis of symmetry			
Issue Date	2026. 9. 30	Version	

Technical Specification

Applicable Series	FS4
Specifications	2 pieces FS4, and 1 piece RL4 Bumper
Net Weight (N.W.)	68 kg (149.9 lbs)
Gross Weight (G.W.)	169 kg (372.6 lbs)